



Description

Robex Rapid Crete F.I.X. is a high strength rapid setting floor repair that cures in 20 minutes. Rapid Crete F.I.X is easy to mix and apply and can be applied both internally and externally is very hard wearing and can be applied to damp surfaces.

Benefits include

- ✓ Easy to use
- ✓ Rapid 20 minute cure
- ✓ Can be used internally and externally
- ✓ Very hard wearing
- ✓ Excellent compressive strength
- ✓ Low odour

Preparation

Substrates should be reasonably dry, clean and free from loose debris. Smooth surfaces should be roughened in order to provide a 'key'. Rapid Crete F.I.X should not be applied at temperatures freezing and below.

Application

Dampen area with a small amount of water using a brush. Mixing Rapid Crete F.I.X. is easy. Simply add the white liquid labeled A to the powder and mix to form a useable mortar. When mixing all of the contents in one go it is advisable to use a drill stirrer. Only mix enough material that can be used within 5 minutes. Place the mixed product onto the dampened floor and trowel smooth occasionally using a wet rag to wipe the trowel blade.

When using Rapid Crete F.I.X. in cold conditions, the cure time will be retarded. **We do not recommend using Rapid Crete F.I.X. in temperatures below 5°C.**

Cure Time

Rapid Crete F.I.X has a workable time of 5 minutes and will cure to accept foot traffic after 30 minutes in reasonable temperatures and will accept forklift vehicle traffic after 1 hour.

Caution: Rapid Crete F.I.X is rapid setting with a working life of 5 minutes and must therefore be used immediately after mixing.

Compressive strength

1 hour	4 hour	3 day	28 days
11 N/mm²	28 N/mm²	35 N/mm²	60 N/mm²

No liability is accepted for any injury, loss or damage arising directly or indirectly from the use of the Company's products or from the use of information given in our data sheets, since the customer's use of the product is necessarily out of our control. The information given is intended to serve as a guide only. Customers should satisfy themselves by appropriate trials that the products are suitable for their intended use.

Tel + 44 (0)1462 422 260

Fax: + 44 (0)1462 422 262

The Robex Group Wilbury Way HITCHIN Hertfordshire SG4 0TY United Kingdom www.robex.co.uk